

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	@ad< "20031208" and ((square\$1 adj root\$1) or division).clm,ti,ab. and count43 and increment\$3 and sum\$3 and compar\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 17:42
L2	0	@ad< "20031208" and ((square\$1 adj root\$1) or division) and count43 and increment\$3 and sum\$3 and compar\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 17:43
L3	0	@ad< "20031208" and ((square\$1 adj root\$1) or division) and count43 and compar\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 17:43
L4	245051	@ad< "20031208" and ((square\$1 adj root\$1) or division) and count\$3 and compar\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 17:43
L5	5005	@ad< "20031208" and ((square\$1 adj root\$1) or division).clm,ti,ab. and count\$3 and increment\$3 and sum\$3 and compar\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 17:43
L6	1511	5 and (programmable or configurable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 17:44
L7	849	6 and (inverse or invert\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 17:44
L8	65	7 and "708"/\$.cols.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 17:44

L9	60	8 and shift\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 17:45
L10	3	counter and (programmable adj shift \$3) and register and comparator and quotient	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 17:47
L11	23	counter and (programmable adj shift \$3) and register and comparator and (quotient or (square\$1 adj root\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 17:48
L12	20930	"708"/\$.cls. and @ad<"20031208"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 17:49
L13	1361	(square\$1 adj root\$1) and L12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 17:49
L14	363	((square\$1 adj root\$1).ti. or (square\$1 adj root\$1). clm. or (square\$1 adj root \$1).ab.) and L12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 17:49
L15	20930	"708"/\$.cls. and @ad<"20031208"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 17:49
L16	363	((square\$1 adj root\$1).ti. or (square\$1 adj root\$1). clm. or (square\$1 adj root \$1).ab.) and L15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 17:49

L17	8330	division and L15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 17:49
L18	5203	(compar\$3 or comparison) and L17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 17:49
L19	1290	(division.ti. or division.clm. or division.ab.) and L18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 17:49
L20	317	iterat\$3 and L19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 17:49
L21	263	shift\$3 and L20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 17:49
L22	240	L21 and (select\$3 or multiplex\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 17:49
L23	144	L22 and count\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 17:49
L24	58	divisor\$1 and dividend and L23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 17:49
L25	14	("4381550" "4785393" "4891780" "5016210"). PN. OR ("5317531"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/29 17:49

L26	472	708/504,502,650-656.ccls. and @ad<"20031208"	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/29 17:49
L27	307	(compar\$3 or comparison) and L26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 17:49
L28	269	L27 and (select\$3 or multiplex\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 17:49
L29	183	divisor\$1 and dividend and L28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 17:49
L30	100	iterat\$3 and L29	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 17:49
L31	62	L30 not L24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 17:49
L32	23	("4320464" "4441158" "4503512" "4546447" "4692891" "4777613" "4872214").PN. OR ("5016210").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/29 17:49
L33	3	((zoso.in. and luciano.in.) or (chin.in. and allan.in.)) and (division\$1.ti. or division\$1.clm. or division \$1.ab.)	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/29 17:49
L34	4662	divis\$3 and "708"/\$.ccls. and @ad<"20031208"	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/29 17:49
L35	3287	L34 and shift\$3	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/29 17:49
L36	2274	(compar\$3 or comparison) and L35	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 17:49

L37	1175	L36 and (MSB or MSD or (most adj significant\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 17:49
L38	1148	L37 and (adding or adder \$1 or addition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 17:49
L39	1074	L38 and (select\$3 or multiplex\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 17:49
L40	690	L39 and count\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 17:49
L41	145	(divis\$3.ti. or divis\$3.clm. or divis\$3.ab.) and L40	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 17:49
L42	1361	L15 and (square\$1 adj root \$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 17:49
L43	633	L42 and shift\$3 and (compar\$3 or comparison) and (select\$3 or multiplex \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 17:49
L44	369	L43 and count\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 17:49

L45	65	((square\$1 adj root\$1).ti. or (square\$1 adj root\$1). dm. or (square\$1 adj root \$1).ab.) and L44	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 17:49
L46	20930	"708"/\$.ccls. and @ad< "20031208"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 17:49
L47	1361	(square\$1 adj root\$1) and L46	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 17:49
L48	363	((square\$1 adj root\$1).ti. or (square\$1 adj root\$1). dm. or (square\$1 adj root \$1).ab.) and L46	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 17:49
L49	217	compar\$3 and L48	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 17:49
L50	162	L49 and shift\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 17:49
L51	0	("2002/0052905").URPN.	USPAT	OR	ON	2008/02/29 17:49
L52	1	(09/892386).APP.	USPAT; USOCR	OR	ON	2008/02/29 17:49
L53	19	("3631230" "4477879" "4805128" "4949296" "5128891" "5157624" "5268857" "5278782" "5307302" "5386375" "5430669" "5602768" "5633818" "5729481" "5787030" "5798955" "6163791" "6341300" "6349319").PN. OR ("7031996").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/29 17:49
L54	163	division and L49	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/29 17:49

L55	126	division and L50	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/29 17:49
L56	45	((square\$1 adj root\$1).ti.) and L55	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 17:49
L57	2	"5563818".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 17:49
L58	26	("4149261" "4796217" "4823301" "4839486" "5012438" "5046038" "5065352" "5128889" "5159566" "5212661" "5235533" "5249149" "5258943" "5276634"). PN. OR ("5563818"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/29 17:49
L59	58771	@ad< "20031208" and count\$3 and (comparat\$3 or comparison) and (register\$1 or storage) and sum\$4 and increment \$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 17:49
L60	5217	L59 and division.ti,clm,ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 17:49
L61	10	(programmable adj shift \$3) and L60	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 17:49
L62	1	("2003/0231125").URPN.	USPAT	OR	ON	2008/02/29 17:49
L63	1	(09/760531).APP.	USPAT; USOCR	OR	ON	2008/02/29 17:49

L64	18	("3946320" "4772871" "5030954" "5144308" "5203335" "5241310" "5446917" "5461389" "5477859" "5521499" "5565867" "5668777" "6208189" "6252531" "6366227").PN. OR ("6801148").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/29 17:49
L65	20930	"708"/\$.cds. and @ad< "20031208"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 17:49
L66	8330	division and L65	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 17:49
L67	5203	(compar\$3 or comparison) and L66	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 17:49
L68	1290	(division.ti. or division.dlm. or division.ab.) and L67	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 17:49
L69	317	iterat\$3 and L68	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 17:49
L70	263	shift\$3 and L69	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 17:49
L71	240	L70 and (select\$3 or multiplex\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 17:49

L72	144	L71 and count\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 17:49
L73	58	divisor\$1 and dividend and L72	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 17:49
L74	47	708/606-656.cols. and @ad< "20031208" and count\$3 and comparator \$1 and increment\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 17:49
L75	34	L74 and (iterat\$3 or loop \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 17:49

2/ 29/ 2008 5:52:50 PM

C:\Documents and Settings\cdo\My Documents\EAST\Workspaces\10730174.wsp